



www.pubmed.gov

A service of the National Library of Medicine
and the National Institutes of Health
[My NCBI](#) [\[Sign In\]](#) [\[Register\]](#)
[All Databases](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [OMIM](#) [PMC](#) [Journals](#) [Books](#)
Search [PubMed](#)for **diabetic nephropathy rat model**[Go](#)[Clear](#)[Save Search](#)
[Limits](#) [Preview/Index](#) [History](#) [Clipboard](#) [Details](#)
[Display](#) [Summary](#) [Show](#) [20](#) [Sort by](#) [Send to](#)
[All: 260](#) [Review: 27](#) [X](#)

Items 1 - 20 of 260

[Page](#)

1

of 13 Next

[About Entrez](#)
[NCBI Toolbar](#)
[Text Version](#)[Entrez PubMed](#)[Overview](#)[Help | FAQ](#)[Tutorials](#)[New/Noteworthy](#)[E-Utilities](#)[PubMed Services](#)[Journals Database](#)[MeSH Database](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[Special Queries](#)[LinkOut](#)[My NCBI](#)[Related Resources](#)[Order Documents](#)[NLM Mobile](#)[NLM Catalog](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[□ 1: Pugsley MK.](#)[Related Articles, Links](#)

[The angiotensin-II \(AT-II\) receptor blocker olmesartan reduces renal damage in animal models of hypertension and diabetes.](#)
Proc West Pharmacol Soc. 2005;48:35-8.
 PMID: 16416656 [PubMed - in process]

[□ 2: Gross ML, Koch A, Muhlbauer B, Adamczak M, Ziebart H, Drescher K, Gross G, Berger I, Amann KU, Ritz E.](#) [Related Articles, Links](#)

[Renoprotective effect of a dopamine D3 receptor antagonist in experimental type II diabetes.](#)
Lab Invest. 2006 Jan 9; [Epub ahead of print]
 PMID: 16402031 [PubMed - as supplied by publisher]

[□ 3: Awad AS, Huang L, Ye H, Duong ET, Bolton WK, Linden J, Okusa MD.](#) [Related Articles, Links](#)

[Adenosine 2A Receptor Activation Attenuates Inflammation and Injury in Diabetic Nephropathy.](#)
Am J Physiol Renal Physiol. 2005 Dec 6; [Epub ahead of print]
 PMID: 16332931 [PubMed - as supplied by publisher]

[□ 4: Danda RS, Habiba NM, Rincon-Choles H, Bhandari BK, Barnes JL, Abboud HE, Pergola PE.](#) [Related Articles, Links](#)

[Kidney involvement in a nongenetic rat model of type 2 diabetes.](#)
Kidney Int. 2005 Dec;68(6):2562-71.
 PMID: 16316331 [PubMed - in process]

[□ 5: Liu QJ, He N, Liu SX, Wang LH, Shi YH, Duan HJ.](#) [Related Articles, Links](#)

[\[Tubular epithelial-myofibroblast transdifferentiation and expressions of hepatocyte growth factor and Smad7 in renal tissues of rat with experimental diabetes.\]](#)
Zhongguo Wei Zhong Bing Ji Jiu Yi Xue. 2005 Nov;17(11):675-8. Chinese.
 PMID: 16297324 [PubMed - in process]

[□ 6: Molotov-Luchanskii VB, Kudriavtsev SS, Muravleva LE, Gazaliev AM.](#) [Related Articles, Links](#)

[\[The influence of cytaphate on the status of oxidative metabolism in rats with diabetic nephropathy\]](#)
Ekspl Klin Farmakol. 2005 Sep-Oct;68(5):47-50. Russian.
 PMID: 16277212 [PubMed - indexed for MEDLINE]

[□ 7: Schrijvers BF, Flyvbjerg A, Tilton RG, Lameire NH, De Vriese AS.](#) [Related Articles, Links](#)

[A neutralizing VEGF antibody prevents glomerular hypertrophy in a model of obese type 2 diabetes, the Zucker diabetic fatty rat.](#)
Nephrol Dial Transplant. 2006 Feb;21(2):324-9. Epub 2005 Oct 25.
 PMID: 16249198 [PubMed - in process]

[□ 8: Hayden MR, Whaley-Connell A, Sowers JR.](#) [Related Articles, Links](#)



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI [\[Sign In\]](#) [\[Register\]](#)

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books

Search for Save Search

Limits Preview/Index History Clipboard Details

Display Show Sort by

All: 1 Review: 0

1: Nobrega MA, Fleming S, Roman RJ, Shiozawa M, Schlick N, Lazar J, Jacob HJ.

Related Articles, Links

Initial characterization of a rat model of diabetic nephropathy.

Diabetes. 2004 Mar;53(3):735-42.

PMID: 14988259 [PubMed - indexed for MEDLINE]

About Entrez
NCBI Toolbar

[Text Version](#)

Entrez PubMed

[Overview](#)

[Help | FAQ](#)

[Tutorials](#)

[New/Noteworthy](#)

[E-Utilities](#)

[PubMed Services](#)

[Journals Database](#)

[MeSH Database](#)

[Single Citation Matcher](#)

[Batch Citation Matcher](#)

[Clinical Queries](#)

[Special Queries](#)

[LinkOut](#)

[My NCBI](#)

[Related Resources](#)

[Order Documents](#)

[NLM Mobile](#)

[NLM Catalog](#)

[NLM Gateway](#)

[TOXNET](#)

[Consumer Health](#)

[Clinical Alerts](#)

[ClinicalTrials.gov](#)

[PubMed Central](#)

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Jan 19 2006 04:31:52



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI
[Sign In] [Register]

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search PubMed

for type ii diabetes diabetic nephropathy animal mode

Limits Preview/Index History Clipboard Details

Display Summary Show 20 Sort by Send to

All: 105 Review: 36

Items 1 - 20 of 105

1 of 6 Next

1: [Tuttle KR, Bakris GL, Toto RD, McGill JB, Hu K, Anderson PW.](#)

[Related Articles](#), [Links](#)

[The effect of ruboxistaurin on nephropathy in type 2 diabetes.](#)

Diabetes Care. 2005 Nov;28(11):2686-90.

PMID: 16249540 [PubMed - indexed for MEDLINE]

2: [Cha DR, Kang YS, Han SY, Jee YH, Han KH, Kim HK, Han JY, Kim YS.](#)

[Related Articles](#), [Links](#)

[Role of aldosterone in diabetic nephropathy.](#)

Nephrology (Carlton). 2005 Oct;10 Suppl:S37-9.

PMID: 16174286 [PubMed - indexed for MEDLINE]

3: [Gohda T, Tanimoto M, Watanabe-Yamada K, Matsumoto M, Kaneko S, Hagiwara S, Shiina K, Shike T, Funabiki K, Tomino Y.](#)

[Related Articles](#), [Links](#)

[Genetic susceptibility to type 2 diabetic nephropathy in human and animal models.](#)

Nephrology (Carlton). 2005 Oct;10 Suppl:S22-5. Review.

PMID: 16174283 [PubMed - indexed for MEDLINE]

4: [Saad S, Stevens VA, Wassef L, Poronnik P, Kelly DJ, Gilbert RE, Pollock CA.](#)

[Related Articles](#), [Links](#)

[High glucose transactivates the EGF receptor and up-regulates serum glucocorticoid kinase in the proximal tubule.](#)

Kidney Int. 2005 Sep;68(3):985-97.

PMID: 16105029 [PubMed - indexed for MEDLINE]

5: [Mita Y, Ishihara K, Fukuchi Y, Fukuya Y, Yasumoto K.](#)

[Related Articles](#), [Links](#)

[Supplementation with chromium picolinate recovers renal Cr concentration and improves carbohydrate metabolism and renal function in type 2 diabetic mice.](#)

Biol Trace Elem Res. 2005 Summer;105(1-3):229-48.

PMID: 16034167 [PubMed - indexed for MEDLINE]

6: [Tseng CH.](#)

[Related Articles](#), [Links](#)

[Correlation of uric acid and urinary albumin excretion rate in patients with type 2 diabetes mellitus in Taiwan.](#)

Kidney Int. 2005 Aug;68(2):796-801.

PMID: 16014058 [PubMed - indexed for MEDLINE]

7: [Chiu YW, Kuo MC, Kuo HT, Chang JM, Guh JY, Lai YH, Chen HC.](#)

[Related Articles](#), [Links](#)

[Alterations of glomerular and extracellular levels of glutathione peroxidase in patients and experimental rats with diabetic nephropathy.](#)

J Lab Clin Med. 2005 Apr;145(4):181-6.

PMID: 15962836 [PubMed - indexed for MEDLINE]

8: [Deray G, Izzedine H, Launay-Vacher V, Bagnis C.](#)

[Related Articles](#), [Links](#)

[\[Kidney and glitazones\]](#)

Ann Endocrinol (Paris). 2005 Apr;66(2 Pt 2):1S81-90. Review. French.

PMID: 15959407 [PubMed - indexed for MEDLINE]